



High Efficient Solar Panels

High photoelectric conversion rate Charging time: 5-6H





HUMAN BODY INDUCTION

When someone comes, the lights are on, after people go, the lights are dimly lit





Meet all kinds of OUTDOOR NEEDS







Wall/Lamp pole/Cement pole installation



Product advantages

all in one solar street light







ABS shell

The shell is made of thick ABS plastic, which has good protect



Led chip

Using low-power and high-efficiency led chips, high brightness





4 03

Radar sensor

Intelligent light control system, and human body sensing system



New design

New design, beautiful and atmospheric appearance







Solar panel

Polysilicon solar panel, high photoelectric conversion rate




LiFePO4 battery

Large-capacity lithium iron phosphate battery, long life



MULTIPLE INSTALLATION MODER







Model:BC-180

solar panel size:360*335MM lamp size:447*70*342MM

power:180W

lighting area:100m³ working time:≥12h Charing time:5h

solar panel:5V/18W poly

Battery type:3.2v/15000MAH lifepo4

waterproof:IP65

LED Qty:smd5730 480pcs

SIZE:35*40*45 QTY/CTN:5PCS G.W:13.5KG



Model:BC-240 solar panel size:510*335MM lamp size:597*70*342M

power:240w

material: ABS plastic lighting area:150m³ working time:≥12h Charing time:5h

solar panel:5V/27W poly

Battery type:3.2v/23000MAH lifepo4

waterproof:IP65

LED Qty:smd5730 640pcs

SIZE:61*40*35 QTY/CTN:5PCS G.W:15.5KG



Model:BC-300

solar panel size:590*335mm lamp size:677*70*342MM material:ABS plastic

power:300w

lighting area:200m³ working time:≥12h

Charing time:5h

solar panel:5V/30W poly

battery type:3.2v/28000MAH lifepo4

waterproof:IP65

LED Qty:smd5730 800pcs

SIZE:68*44*35 QTY/CTN:4PCS G.W:17KG

