

SOLAR FLOOD LIGHT

• Patent private model • Energy saving save electricity • 0 electricity



OUR QUALITY IS EVERYTHING



Rain and lightning



Solar charging



Avoid wiring



Intelligent light-control




Remote control


ELECTRIC QUANTITY INDICATOR

No need to guess the quantity of electricity, always know the situation of electricity

20% 40% 60% 80% 100%




PRODUCT DETAILS



DETAILS
01

High power LED lamp pearl source, average distribution, multiple test verification: high brightness, stability and durability



DETAILS
02

Die casting aluminum engineering lamp body, high hardness, strong impact resistance, fast heat dissipation.



DETAILS
03

The wire is made of high quality brass wire

INTELLIGENT LIGHT CONTROL FUNCTION




Automatic charging during the day



Automatic light at night

HIGH CONVERSION SOLAR PANELS



Polysilicon solar panel charging fast ratio and television conversion high

HIGH-CAPACITY BATTERY


Long life, long endurance, more durable lighting

10000mAh



IP66 WATERPROOF

Rain proof, lightning proof, corrosion proof



• High temperature resistant



• Normal operation at -25 °C




DESCRIPTION OF REMOTE CONTROL



Specification



50W



100W



150W

Model:XY-50W
Solar panel: poly(5V/10W)
Lamp Power :50W
LED: SMD5730 90PCS
Lumen: 450LM
Waterproof grade :IP65
Battery: lifepo4 3.2v /5000mAh
Charging time :5H
Working time: ≥12H
Lamp size :215*180*64mm
Lighting area :40m³
Solar panel size:360x172x17mm
SIZE:425*345*385MM
QTY/CTN:12PCS


Model:XY-100
Solar panel: poly(5V/15W)
Lamp Power :100W
LED: SMD5730 144PCS
Lumen: 800LM
Waterproof grade :IP65
Battery: lifepo4 3.2v /10000mAh
Charging time :5H
Working time: ≥12H
Lamp size :265*220*65mm
Lighting area :60m³
Solar panel size:340x290x17mm
SIZE:410*320*375MM
QTY/CTN:8PCS

Model:XY-150
Solar panel: poly(5V/18W)
Lamp Power :150W
LED: SMD5730 240PCS
Lumen: 1100LM
Waterproof grade :IP65
Battery: lifepo4 3.2v /1500mAh
Charging time :5H
Working time: ≥12H
Lamp size 340*290*68mm
Lighting area :80m³
Solar panel size:340x385x17mm"
SIZE:460*370*370MM
QTY/CTN:8pcs


Specification



200W



300W



400W


Model:XY-200
Solar panel: poly(5V/35W)
Lamp Power :200W
LED: SMD5730 324PCS
Lumen: 2000LM
Waterproof grade :IP65
Battery: lifepo4 3.2v /20000mAh
Charging time :5H
Working time: ≥12H
Lamp size :370*330*68mm
Lighting area :100m³
Solar panel size:350x520x17mm
SIZE:595*265*390MM
QTY/CTN:4PCS

Model:XY-300
Solar panel: poly(5V/40W)
Lamp Power :300W
LED: SMD5730 420PCS
Lumen: 2300LM
Waterproof grade :IP65
Battery: lifepo4 3.2v /25000mAh
Charging time :5H
Working time: ≥12H
Lamp size :385x350x55mm
Lighting area :150m³
Solar panel size:350x630x17mm
SIZE:715*265*405MM
QTY/CTN:4PCS

Model:XY-400
Solar panel: poly(5V/50W)
Lamp Power :400W
LED: SMD5730 504PCS
Lumen: 2800LM
Waterproof grade :IP65
Battery: lifepo4 3.2v /40000mAh
Charging time :5H
Working time: ≥12H
Lamp size:410*360*68mm
Lighting area :150m³
Solar panel size:350x630x17mm
SIZE:715*265*405MM
QTY/CTN:4PCS

Application

villa application



Rural lighting

